



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

GASCONADE

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
014253

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	850FT
<u>DRILL DEPTH:</u>	350FT	40N	4W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					638,071.93	4,233,470.19
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> OLD WELL TO 235', DEEPENED - SEE LOG #22151 & #22678				
<u>S.W.L. (AFTER CASING):</u>	135					

LOG ID:
022151

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/01/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	850FT
<u>DRILL DEPTH:</u>	350FT	40N	4W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				638,071.93	4,233,470.19
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> OLD WELL (#14253) DEEPENED 235-340' (1964) 340-350' (#22678)				
<u>S.W.L. (AFTER CASING):</u>	135					

LOG ID:
022678

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	837FT
<u>DRILL DEPTH:</u>	350FT	40N	4W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					638,071.93	4,233,470.19
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> OLD WELL DEEPENED - SEE LOG #22151 & #14253				
<u>S.W.L. (AFTER CASING):</u>	135					

LOG ID:
001656

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1911/04/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	860FT
<u>DRILL DEPTH:</u>	304FT	40N	5W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				636,896.91	4,233,296.17
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> MOSTLY SKIPPED INTERVALS				
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005968**WELL TYPE

Private Well

DRILL DATE: 1939/11/17TOWNSHIPRANGESECTIONELEVATION:

825FT

DRILL DEPTH: 75FT

40N

5W

10

DEPTH TO BED:UTM XUTM Y

634,143.86

4,231,832.09

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 8**LOG ID:****013916**WELL TYPE

Private Well

DRILL DATE: 1952/03/01TOWNSHIPRANGESECTIONELEVATION:

784FT

DRILL DEPTH: 140FT

40N

5W

2

DEPTH TO BED: 20FTUTM XUTM Y

635,758.89

4,232,498.13

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 23**LOG ID:****019464**WELL TYPE

Private Well

DRILL DATE: 1961/02/01TOWNSHIPRANGESECTIONELEVATION:

847FT

DRILL DEPTH: 245FT

40N

5W

2

DEPTH TO BED: 110FTUTM XUTM Y

635,158.86

4,233,430.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED 190-245'S.W.L. (AFTER CASING):**LOG ID:****021303**WELL TYPE

Private Well

DRILL DATE: 1962/07/14TOWNSHIPRANGESECTIONELEVATION:

828FT

DRILL DEPTH: 235FT

40N

5W

2

DEPTH TO BED: 35FTUTM XUTM Y

635,358.87

4,232,964.14

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD WELL DEEPENED - SEE LOG #21985S.W.L. (AFTER CASING): 95



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021985**WELL TYPE

Private Well

DRILL DATE: 1962/07/14TOWNSHIPRANGESECTIONELEVATION:

828FT

DRILL DEPTH: 235FT

40N

5W

2

DEPTH TO BED: 35FTUTM XUTM Y

635,358.87

4,232,964.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:2 MI SE OF BEM ON HWY 19; OLD WELL (#21303) DEEPENED
188-235' (#21985)S.W.L. (AFTER CASING): 95**LOG ID:****023336**WELL TYPE

Private Well

DRILL DATE: 1964/09/28TOWNSHIPRANGESECTIONELEVATION:

848FT

DRILL DEPTH: 345FT

40N

5W

2

DEPTH TO BED: 35FTUTM XUTM Y

635,358.87

4,233,664.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

12 MI N OF CUBA ON HWY 19

S.W.L. (AFTER CASING):**LOG ID:****027533**WELL TYPE

Private Well

DRILL DATE: 1973/11/15TOWNSHIPRANGESECTIONELEVATION:

864FT

DRILL DEPTH: 355FT

40N

5W

2

DEPTH TO BED: 10FTUTM XUTM Y

634,758.85

4,233,664.16

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:NO PRODUCTION OR CONSTRUCTION DATA; 12 MI N OF CUBA
ON HWY 19S.W.L. (AFTER CASING):**LOG ID:****016071**WELL TYPE

Private Well

DRILL DATE: 1957/00/00TOWNSHIPRANGESECTIONELEVATION:

773FT

DRILL DEPTH: 145FT

40N

5W

3

DEPTH TO BED: 93FTUTM XUTM Y

634,516.85

4,232,969.13

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

OLD WELL DEEPENED 93-145'

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020305

WELL TYPE
Private Well

DRILL DATE: 1961/00/00

TOWNSHIP RANGE SECTION
40N 5W 3

ELEVATION: 893FT

DRILL DEPTH: 285FT

UTM X UTM Y

DEPTH TO BED: 210FT

633,716.85 4,232,007.09
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
018624

WELL TYPE
Private Well

DRILL DATE: 1959/08/08

TOWNSHIP RANGE SECTION
40N 5W 5

ELEVATION: 842FT

DRILL DEPTH: 185FT

UTM X UTM Y

DEPTH TO BED: 55FT

630,007.78 4,233,219.10
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: ABT 6.5 MI DUE S OF OWENSVILLE; YIELD - 15 GPM @ 98'

S.W.L. (AFTER CASING): 78

LOG ID:
011191

WELL TYPE
Private Well

DRILL DATE: 1949/12/09

TOWNSHIP RANGE SECTION
40N 5W 7

ELEVATION: 865FT

DRILL DEPTH: 155FT

UTM X UTM Y

DEPTH TO BED: 50FT

628,788.82 4,230,672.01
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 12 MI S OF OWENSVILLE ON IRON RD

S.W.L. (AFTER CASING): 55

LOG ID:
022960

WELL TYPE
Private Well

DRILL DATE: 1964/03/01

TOWNSHIP RANGE SECTION
40N 6W 1

ELEVATION: 963FT

DRILL DEPTH: 280FT

UTM X UTM Y

DEPTH TO BED: 20FT

627,491.79 4,233,345.11
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 7 MI S OF OWENSVILLE

S.W.L. (AFTER CASING): 150



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019342**WELL TYPE

Private Well

DRILL DATE: 1960/10/10TOWNSHIPRANGESECTIONELEVATION:

930FT

DRILL DEPTH: 230FT

40N

6W

12

DEPTH TO BED: 60FTUTM XUTM Y

627,524.81

4,231,861.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ABT 8 MI S-SW OF OWENSVILLE; YIELD - 17 GPM @ 165'S.W.L. (AFTER CASING): 125**LOG ID:****005582**WELL TYPE

Private Well

DRILL DATE: 1924/07/12TOWNSHIPRANGESECTIONELEVATION:

884FT

DRILL DEPTH: 82FT

40N

6W

14

DEPTH TO BED: 25FTUTM XUTM Y

626,580.85

4,229,500.97

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 48**LOG ID:****026603**WELL TYPE

Private Well

DRILL DATE: 1970/06/19TOWNSHIPRANGESECTIONELEVATION:

902FT

DRILL DEPTH:

40N

6W

20

DEPTH TO BED:UTM XUTM Y

621,801.88

4,228,505.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPEMED - SEE LOG #27400S.W.L. (AFTER CASING):**LOG ID:****027400**WELL TYPE

Private Well

DRILL DATE: 1970/06/19TOWNSHIPRANGESECTIONELEVATION:

912FT

DRILL DEPTH: 277FT

40N

6W

20

DEPTH TO BED: 20FTUTM XUTM Y

621,801.88

4,228,505.93

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL (#26603) DEEPEMED 215-377'; 2 MI NW OF RED BIRDS.W.L. (AFTER CASING): 277



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023596

WELL TYPE
Private Well

DRILL DATE: 1965/06/10

TOWNSHIP RANGE SECTION

ELEVATION: 862FT

DRILL DEPTH: 90FT

40N 6W 21

DEPTH TO BED: 65FT

UTM X UTM Y
622,815.88 4,228,506.93
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: RED BIRD

S.W.L. (AFTER CASING):

LOG ID:
007153

WELL TYPE
Private Well

DRILL DATE: 1940/09/01

TOWNSHIP RANGE SECTION

ELEVATION: 905FT

DRILL DEPTH: 138FT

40N 6W 25

DEPTH TO BED: 15FT

UTM X UTM Y
627,846.89 4,225,896.85
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 75

LOG ID:
017928

WELL TYPE
Private Well

DRILL DATE: 1959/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 858FT

DRILL DEPTH: 171FT

40N 6W 26

DEPTH TO BED: 30FT

UTM X UTM Y
626,462.91 4,225,448.83
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 7/8 MI SE OF RED BIRD

S.W.L. (AFTER CASING): 95

LOG ID:
019313

WELL TYPE
Private Well

DRILL DATE: 1960/08/05

TOWNSHIP RANGE SECTION

ELEVATION: 841FT

DRILL DEPTH: 127FT

40N 6W 27

DEPTH TO BED: 20FT

UTM X UTM Y
625,053.89 4,226,672.87
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: RED BIRD; YIELD - 20 GPM @ 40'

S.W.L. (AFTER CASING): 19



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021969**WELL TYPE

Private Well

DRILL DATE: 1962/10/25TOWNSHIPRANGESECTIONELEVATION:

981FT

DRILL DEPTH: 215FT

40N

6W

29

DEPTH TO BED: 40FTUTM XUTM Y

621,012.92

4,226,063.84

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD SCHOOL, F MI S OF BLAND; 40-120 PENN SINK FILLS.W.L. (AFTER CASING): 75**LOG ID:****025699**WELL TYPE

Private Well

DRILL DATE: 1968/05/03TOWNSHIPRANGESECTIONELEVATION:

965FT

DRILL DEPTH: 490FT

40N

6W

29

DEPTH TO BED: 30FTUTM XUTM Y

621,012.92

4,226,063.84

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPEMED 275-490' (NO NEW LOG NUMBER)S.W.L. (AFTER CASING): 130**LOG ID:****021039**WELL TYPE

Private Well

DRILL DATE: 1961/12/08TOWNSHIPRANGESECTIONELEVATION:

970FT

DRILL DEPTH: 237FT

40N

6W

31

DEPTH TO BED: 35FTUTM XUTM Y

620,225.96

4,224,031.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: YIELD - 15 GPM @ 147'; 3.5 MI SW OF RED BIRDS.W.L. (AFTER CASING):**LOG ID:****027885**WELL TYPE

Private Well

DRILL DATE: 1974/12/07TOWNSHIPRANGESECTIONELEVATION:

1,020FT

DRILL DEPTH: 312FT

40N

6W

31

DEPTH TO BED: 20FTUTM XUTM Y

618,825.97

4,223,825.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI E OF HIGH GATE ON HWY V; LONG SECTIONS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026229

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	942FT
		40N	6W	34		
<u>DRILL DEPTH:</u>	215FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				624,272.93	4,224,434.79
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
027259

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	872FT
		40N	6W	34		
<u>DRILL DEPTH:</u>	272FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				624,472.94	4,223,826.77
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
008855

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1944/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
		40N	6W	36		
<u>DRILL DEPTH:</u>	210FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				626,889.93	4,223,858.77
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> "BAD WATER"			
<u>S.W.L. (AFTER CASING):</u>	100					

LOG ID:
008856

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1944/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	915FT
		40N	6W	36		
<u>DRILL DEPTH:</u>	210FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				627,289.93	4,223,858.78
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	100					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008857**WELL TYPE

Private Well

DRILL DATE: 1945/01/01TOWNSHIPRANGESECTIONELEVATION:

868FT

DRILL DEPTH: 134FT

40N

6W

36

DEPTH TO BED: 30FTUTM XUTM Y

627,689.92

4,224,464.80

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50**LOG ID:****019442**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1960/07/20TOWNSHIPRANGESECTIONELEVATION:

958FT

DRILL DEPTH: 330FT

40N

6W

4

DEPTH TO BED: 90FTUTM XUTM Y

623,361.82

4,232,205.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL (#19442) DEEPENED (#27958) 200-330' (1975); 6 MI SE
OF BLANDS.W.L. (AFTER CASING): 100**LOG ID:****027958**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1960/07/20TOWNSHIPRANGESECTIONELEVATION:

932FT

DRILL DEPTH:

40N

6W

4

DEPTH TO BED:UTM XUTM Y

623,361.82

4,232,205.06

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED - SEE LOG #19442S.W.L. (AFTER CASING):**LOG ID:****007119**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

815FT

DRILL DEPTH: 220FT

41N

4W

17

DEPTH TO BED: 85FTUTM XUTM Y

640,195.90

4,238,886.37

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 104



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017889

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	746FT
<u>DRILL DEPTH:</u>	164FT	41N	4W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				639,301.87	4,240,161.40
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> YIDLE - 17 GPM @ 80'; 0.75 MI W OF TEA				
<u>S.W.L. (AFTER CASING):</u>	60					

LOG ID:
020251

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/08/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	327FT	41N	4W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				639,401.88	4,239,391.38
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> YIELD - 15 GPM @ 237'; ABT 1.5 MI E OF TEA				
<u>S.W.L. (AFTER CASING):</u>	212					

LOG ID:
005449

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1938/09/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	774FT
<u>DRILL DEPTH:</u>	180FT	41N	4W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				638,206.88	4,237,766.32
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> DRILLER'S LOG ONLY				
<u>S.W.L. (AFTER CASING):</u>	110					

LOG ID:
017435

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/07/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	733FT
<u>DRILL DEPTH:</u>	116FT	41N	4W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				641,854.96	4,237,699.36
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> YIELD - 20 GPM @ 40'; 3 MI S OF TEA				
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021918**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/02/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	872FT
<u>DRILL DEPTH:</u>	335FT	41N	4W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	230FT				641,525.88	4,242,285.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 230-335'; 1.25 MI NE OF TEA; YIELD - 15			
<u>S.W.L. (AFTER CASING):</u>	160		GPM @ 175'			

LOG ID:**017049**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1958/03/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	856FT
<u>DRILL DEPTH:</u>	292FT	41N	4W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				639,682.84	4,242,292.46
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD - 15 GPM @ 207'; 6 MI S OF ROSEBUD ON HWY T			
<u>S.W.L. (AFTER CASING):</u>	187					

LOG ID:**021043**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/04/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	791FT
<u>DRILL DEPTH:</u>	185FT	41N	4W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				638,389.84	4,240,565.39
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD - 15 GPM @ 95'; 1 MI W OF TEA			
<u>S.W.L. (AFTER CASING):</u>	75					

LOG ID:**019714**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/12/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	767FT
<u>DRILL DEPTH:</u>	189FT	41N	4W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				640,089.87	4,240,828.42
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD - 15 GPM @ 90'; 0.5 MI N OF TEA			
<u>S.W.L. (AFTER CASING):</u>	50					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021940

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1963/03/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	815FT
<u>DRILL DEPTH:</u>	215FT	41N	4W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				639,889.86	4,241,238.43
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> YIELD - 15 GPM @ 130'; 0.25 MI N OF TEA OLD SCHOOL HOUSE				
<u>S.W.L. (AFTER CASING):</u>	105					

LOG ID:
017892

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/12/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	860FT
<u>DRILL DEPTH:</u>	264FT	41N	4W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				641,741.89	4,241,485.46
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> YIELD - 15 GPM @ 180'				
<u>S.W.L. (AFTER CASING):</u>	160					

LOG ID:
024873

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1966/10/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	921FT
<u>DRILL DEPTH:</u>	285FT	41N	5W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				634,679.76	4,241,416.37
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> SE OF OWENSVILLE				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
021751

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1962/12/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	765FT
<u>DRILL DEPTH:</u>	189FT	41N	5W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				637,625.84	4,239,349.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> YIELD - 15 GPM @ 95', ABT 1.5 MI SW OF TEA				
<u>S.W.L. (AFTER CASING):</u>	80					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021033**WELL TYPE

Private Well

DRILL DATE: 1962/05/03TOWNSHIPRANGESECTIONELEVATION:

948FT

DRILL DEPTH: 350FT

41N

5W

16

DEPTH TO BED: 70FTUTM XUTM Y

632,796.73

4,240,242.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:YIELD - 15 GPM @ 255'; 2.5 MI S OF OWENSVILLE ON HWY 19;
POOR SAMPLESS.W.L. (AFTER CASING): 225**LOG ID:****019932**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

990FT

DRILL DEPTH: 275FT

41N

5W

18

DEPTH TO BED: 40FTUTM XUTM Y

628,469.71

4,239,808.27

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****010583**WELL TYPE

Private Well

DRILL DATE: 1948/05/27TOWNSHIPRANGESECTIONELEVATION:

964FT

DRILL DEPTH: 194FT

41N

5W

19

DEPTH TO BED:UTM XUTM Y

629,388.73

4,237,667.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:YIELD - 7 GPM @ 180'; 6 MI S OF OWENSVILLE ON OLD IRON
ROADS.W.L. (AFTER CASING): 100**LOG ID:****020680**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

981FT

DRILL DEPTH: 225FT

41N

5W

19

DEPTH TO BED: 75FTUTM XUTM Y

629,488.73

4,237,362.22

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024618**WELL TYPE

Private Well

DRILL DATE: 1966/06/08TOWNSHIPRANGESECTIONELEVATION:

900FT

DRILL DEPTH: 125FT

41N

5W

20

DEPTH TO BED: 40FTUTM XUTM Y

630,136.72

4,237,777.23

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CLOSE TO A FAULT - MAPPED AS JEFFERSON CITY-COTTERS.W.L. (AFTER CASING):**LOG ID:****019353**WELL TYPE

Private Well

DRILL DATE: 1960/04/08TOWNSHIPRANGESECTIONELEVATION:

748FT

DRILL DEPTH: 189FT

41N

5W

25

DEPTH TO BED: 15FTUTM XUTM Y

636,572.86

4,236,559.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 20 GPM @ 104'; ABT 5 MI SE OF OWENSVILLES.W.L. (AFTER CASING): 100**LOG ID:****019513**WELL TYPE

Private Well

DRILL DATE: 1960/10/22TOWNSHIPRANGESECTIONELEVATION:

784FT

DRILL DEPTH: 198FT

41N

5W

25

DEPTH TO BED: 30FTUTM XUTM Y

637,772.89

4,235,727.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 15 GPM @ 100'; 3 MI SW OF TEAS.W.L. (AFTER CASING): 60**LOG ID:****028590**WELL TYPE

Private Well

DRILL DATE: 1975/03/10TOWNSHIPRANGESECTIONELEVATION:

810FT

DRILL DEPTH: 333FT

41N

5W

27

DEPTH TO BED: 65FTUTM XUTM Y

633,792.80

4,236,247.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SAMPLES SCANNED; AT HICKORY LAKE, LOT 13, OWENSVILLES.W.L. (AFTER CASING): 333



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017929**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1958/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	888FT
<u>DRILL DEPTH:</u>	163FT	41N	5W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				631,631.75	4,236,363.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> YIELD - 20 GPM @ 80'; 5 MI DUE S OF OWENSVILLE			
<u>S.W.L. (AFTER CASING):</u>	70					

LOG ID:**026408**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1969/10/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	842FT
<u>DRILL DEPTH:</u>	400FT	41N	5W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				630,547.75	4,235,378.17
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	60	FT	<u>REMARKS:</u> YIELD - 14 GPM @ 112', 50 GPM @ 400'			
<u>S.W.L. (AFTER CASING):</u>	100	FT				

LOG ID:**022920**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1964/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	888FT
<u>DRILL DEPTH:</u>	235FT	41N	5W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				634,756.85	4,234,074.18
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> formerly in name of Eugene Jett			
<u>S.W.L. (AFTER CASING):</u>	120					

LOG ID:**005892**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	806FT
<u>DRILL DEPTH:</u>	170FT	41N	5W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	115FT				637,189.89	4,234,938.23
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u> "POOR SAMPLES - CORRELATION DOUBTFUL"			
<u>S.W.L. (AFTER CASING):</u>	90					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026223

WELL TYPE
Private Well

DRILL DATE: 1968/06/06

TOWNSHIP RANGE SECTION

ELEVATION: 840FT

DRILL DEPTH: 431FT

41N 5W 36

DEPTH TO BED: 10FT

UTM X UTM Y
637,189.91 4,233,880.20
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: YIELD - 15 GPM @ 315', 20 GPM @ 411'; ON HWY Z, BERGER

S.W.L. (AFTER CASING):

LOG ID:
019443

WELL TYPE
Private Well

DRILL DATE: 1960/06/26

TOWNSHIP RANGE SECTION

ELEVATION: 931FT

DRILL DEPTH: 305FT

41N 5W 4

DEPTH TO BED: 75FT

UTM X UTM Y
631,551.67 4,243,677.39
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: YIELD - 15 GPM @ 216'; 0.5 MI S OF OWENSVILLE ON HWY 19

S.W.L. (AFTER CASING): 119

LOG ID:
020678

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 946FT

DRILL DEPTH: 300FT

41N 5W 5

DEPTH TO BED: 75FT

UTM X UTM Y
630,071.66 4,243,681.38
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
019396

WELL TYPE
Private Well

DRILL DATE: 1960/10/19

TOWNSHIP RANGE SECTION

ELEVATION: 993FT

DRILL DEPTH: 275FT

41N 5W 7

DEPTH TO BED:

UTM X UTM Y
628,930.69 4,241,333.31
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020679**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

995FT

DRILL DEPTH:

270FT

41N

5W

7

UTM XUTM YDEPTH TO BED:

60FT

628,030.69

4,241,026.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****023858**WELL TYPE

Private Well

DRILL DATE:

1965/05/17

TOWNSHIPRANGESECTIONELEVATION:

1,003FT

DRILL DEPTH:

260FT

41N

5W

7

UTM XUTM YDEPTH TO BED:

65FT

628,830.69

4,241,026.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI SW OF OWENSVILLE; 0-65' "SINK FILL" MATERIALS.W.L. (AFTER CASING):

125

LOG ID:**017041**WELL TYPE

Private Well

DRILL DATE:

1958/04/09

TOWNSHIPRANGESECTIONELEVATION:

833FT

DRILL DEPTH:

220FT

41N

5W

9

UTM XUTM YDEPTH TO BED:

120FT

632,770.72

4,241,764.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD WELL DEEPEMED 120-220'; YIELD 18 GPM @ 38'S.W.L. (AFTER CASING):

22

LOG ID:**019500**WELL TYPE

Private Well

DRILL DATE:

1960/12/19

TOWNSHIPRANGESECTIONELEVATION:

875FT

DRILL DEPTH:

228FT

41N

5W

9

UTM XUTM YDEPTH TO BED:

140FT

632,370.71

4,241,658.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: "REDRILLED", YIELD - 20 GPM @ 68'; 2 MI S OF OWENSVILLE ON HWY 19S.W.L. (AFTER CASING):

53



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021850

WELL TYPE
Private Well

DRILL DATE: 1962/10/29

TOWNSHIP 41N RANGE 5W SECTION 9

ELEVATION: 917FT

DRILL DEPTH: 287FT

DEPTH TO BED: 95FT

UTM X 631,570.69 UTM Y 4,241,870.34
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: YIELD - 15 GPM @ 207'; 1.5 MI S OF OWENSVILLE

S.W.L. (AFTER CASING): 175

LOG ID:
019907

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP 41N RANGE 6W SECTION 11

ELEVATION: 1,038FT

DRILL DEPTH: 325FT

DEPTH TO BED: 85FT

UTM X 625,872.69 UTM Y 4,241,296.29
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
019922

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP 41N RANGE 6W SECTION 12

ELEVATION: 989FT

DRILL DEPTH: 275FT

DEPTH TO BED: 5FT

UTM X 627,861.68 UTM Y 4,241,809.32
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 504 W JACKSON ST., OWENSVILLE

S.W.L. (AFTER CASING): 100

LOG ID:
017886

WELL TYPE
Private Well

DRILL DATE: 1958/00/00

TOWNSHIP 41N RANGE 6W SECTION 17

ELEVATION: 1,011FT

DRILL DEPTH: 300FT

DEPTH TO BED: 20FT

UTM X 620,367.73 UTM Y 4,238,650.22
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: "VERY POOR SAMPLES"

S.W.L. (AFTER CASING): 195



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019967**WELL TYPE

Private Well

DRILL DATE: 1961/07/13TOWNSHIPRANGESECTIONELEVATION:

894FT

DRILL DEPTH: 100FT

41N

6W

18

DEPTH TO BED: 15FTUTM XUTM Y

619,472.73

4,238,948.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.75 MI S OF BLANDS.W.L. (AFTER CASING): 15**LOG ID:****008498**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1944/02/01TOWNSHIPRANGESECTIONELEVATION:

1,029FT

DRILL DEPTH: 200FT

41N

6W

2

DEPTH TO BED: 85FTUTM XUTM Y

625,039.66

4,243,364.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W OF CANAAN, @ S EDGE OF CLAY PITS.W.L. (AFTER CASING): 125**LOG ID:****008499**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1944/02/01TOWNSHIPRANGESECTIONELEVATION:

973FT

DRILL DEPTH: 220FT

41N

6W

2

DEPTH TO BED: 165FTUTM XUTM Y

625,439.66

4,243,118.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CLAY PROSPECT HOLE; @ N EDGE OF HEASLEY CLAY PITS.W.L. (AFTER CASING):**LOG ID:****010511**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1948/11/26TOWNSHIPRANGESECTIONELEVATION:

909FT

DRILL DEPTH: 387FT

41N

6W

20

DEPTH TO BED: 10FTUTM XUTM Y

621,185.75

4,237,454.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.25 MI S & 0.5 MI E OF JCT HWYS 28 & BS.W.L. (AFTER CASING): 97



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019788**WELL TYPE

Private Well

DRILL DATE: 1961/01/03TOWNSHIPRANGESECTIONELEVATION:

904FT

DRILL DEPTH: 251FT

41N

6W

20

DEPTH TO BED: 30FTUTM XUTM Y

619,897.74

4,237,827.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 15 GPM @ 165'; 1.5 MI S OF BLANDS.W.L. (AFTER CASING): 140**LOG ID:****016886**WELL TYPE

Private Well

DRILL DATE: 1957/12/09TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 124FT

41N

6W

34

DEPTH TO BED: 45FTUTM XUTM Y

623,310.79

4,233,838.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 20 GPM @ 35'; NEAR BLANDS.W.L. (AFTER CASING): 25**LOG ID:****021042**WELL TYPE

Private Well

DRILL DATE: 1962/04/04TOWNSHIPRANGESECTIONELEVATION:

823FT

DRILL DEPTH: 148FT

41N

6W

4

DEPTH TO BED: 30FTUTM XUTM Y

622,972.66

4,243,342.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 30**LOG ID:****003228**WELL TYPE

Community Public Well

DRILL DATE: 1935/03/25TOWNSHIPRANGESECTIONELEVATION:

1,022FT

DRILL DEPTH: 800FT

41N

6W

7

DEPTH TO BED: 65FTUTM XUTM Y

619,410.70

4,240,384.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 251



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008406**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1943/11/01 TOWNSHIP 41N RANGE 6W SECTION 8 ELEVATION: 1,020FT
DRILL DEPTH: 833FT UTM X 619,856.70 UTM Y 4,240,386.24
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: @ Bland - deepened - see log #8525
S.W.L. (AFTER CASING):

LOG ID:**008525**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1943/11/01 TOWNSHIP 41N RANGE 6W SECTION 8 ELEVATION: 1,020FT
DRILL DEPTH: 833FT UTM X 619,856.70 UTM Y 4,240,386.24
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL (#8406) DEEPENED 606-833'; AT BLAND
S.W.L. (AFTER CASING):

LOG ID:**006801**WELL TYPE

Community Public Well

DRILL DATE: 1941/03/01 TOWNSHIP 42N RANGE 4W SECTION 17 ELEVATION: 905FT
DRILL DEPTH: 508FT UTM X 639,439.72 UTM Y 4,250,084.65
DEPTH TO BED: 80FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 175

LOG ID:**010070**WELL TYPE

Private Well

DRILL DATE: 1948/03/01 TOWNSHIP 42N RANGE 4W SECTION 17 ELEVATION: 888FT
DRILL DEPTH: 355FT UTM X 639,679.74 UTM Y 4,249,211.63
DEPTH TO BED: 105FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: YIELD 10 GPM @ 185'
S.W.L. (AFTER CASING): 150

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017891

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1959/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	897FT
<u>DRILL DEPTH:</u>	700FT	42N	4W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	105FT				639,400.73	4,249,806.65
<u>S.W.L. (BEFORE CASING):</u>	200	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	190	FT				

REMARKS:

LOG ID:
002515

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1931/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	891FT
<u>DRILL DEPTH:</u>	370FT	42N	4W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				638,005.71	4,249,807.63
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

LOG ID:
002525

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1931/12/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	891FT
<u>DRILL DEPTH:</u>	370FT	42N	4W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				638,805.72	4,249,807.64
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

LOG ID:
003508

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1936/01/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	918FT
<u>DRILL DEPTH:</u>	329FT	42N	4W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT				638,805.72	4,250,027.64
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	230					

REMARKS: AT JCT HWYS 28 & 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010069**WELL TYPE

Private Well

DRILL DATE: 1948/03/25TOWNSHIPRANGESECTIONELEVATION:

924FT

DRILL DEPTH: 305FT

42N

4W

18

DEPTH TO BED: 105FTUTM XUTM Y

638,605.72

4,249,807.64

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 600 GPH @ 205'; JCT HWY 28 & 50 AT ROSEBUDS.W.L. (AFTER CASING): 160**LOG ID:****020128**WELL TYPE

Private Well

DRILL DATE: 1961/06/20TOWNSHIPRANGESECTIONELEVATION:

847FT

DRILL DEPTH: 270FT

42N

4W

18

DEPTH TO BED: 110FTUTM XUTM Y

638,005.71

4,249,589.62

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 15 GPM @ 135'; 0.75 MI W OF ROSEBUD ON HWY 28S.W.L. (AFTER CASING): 100**LOG ID:****018146**WELL TYPE

Private Well

DRILL DATE: 1959/02/27TOWNSHIPRANGESECTIONELEVATION:

867FT

DRILL DEPTH: 348FT

42N

4W

21

DEPTH TO BED: 45FTUTM XUTM Y

641,957.79

4,248,221.64

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 15 GPM @ 237'; 2 MI SE OF ROSEBUDS.W.L. (AFTER CASING): 185**LOG ID:****020864**WELL TYPE

Private Well

DRILL DATE: 1962/04/01TOWNSHIPRANGESECTIONELEVATION:

790FT

DRILL DEPTH: 175FT

42N

4W

31

DEPTH TO BED: 30FTUTM XUTM Y

638,472.80

4,243,826.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI E OF OWENSVILLE ON RED OAK CREEKS.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021145

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1962/05/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	848FT
<u>DRILL DEPTH:</u>	257FT	42N	4W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				641,796.86	4,243,914.52
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	145					

REMARKS:

LOG ID:
021990

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1963/01/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	856FT
<u>DRILL DEPTH:</u>	345FT	42N	4W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT				641,890.70	4,253,595.78
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	200					

REMARKS: YIELD - 15 GPM @ 255'; ABT 3 MI NW OF GERALD, 3 MI NE OF ROSEBUD

LOG ID:
020130

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/07/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	858FT
<u>DRILL DEPTH:</u>	310FT	42N	4W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				640,655.73	4,251,055.69
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	205					

REMARKS: YIELD 14 GPM @ 235'; ABT 1.5 MI NE OF ROSEBUD

LOG ID:
007941

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	905FT
<u>DRILL DEPTH:</u>	296FT	42N	5W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	12FT				634,222.66	4,248,714.55
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	220					

REMARKS: YIELD "STRONG"; 2 MI N OF OWENSVILLE, 0.75 MI E OF HWY 19

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020580

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	912FT
		42N	5W	15		
<u>DRILL DEPTH:</u>	350FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				633,622.64	4,249,744.57
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
017798

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/10/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	938FT
		42N	5W	21		
<u>DRILL DEPTH:</u>	370FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	135FT				632,617.65	4,248,128.52
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 0.5 MI N OF OWENSVILLE ON HWY 19				
<u>S.W.L. (AFTER CASING):</u>	223					

LOG ID:
017743

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	928FT
		42N	5W	22		
<u>DRILL DEPTH:</u>	312FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				634,047.68	4,247,085.51
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> YIELD 10 GPM @ 270'; 2 MI E OF OWENSVILLE ON HWY 28				
<u>S.W.L. (AFTER CASING):</u>	200					

LOG ID:
018371

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/05/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	918FT
		42N	5W	22		
<u>DRILL DEPTH:</u>	314FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				634,047.68	4,247,085.51
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> YIELD 15 GPM @ 174'; 1 MI NE OF OWENSVILLE ON HWY 28				
<u>S.W.L. (AFTER CASING):</u>	150					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019391**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

886FT

DRILL DEPTH:

300FT

42N

5W

22

UTM XUTM YDEPTH TO BED:

15FT

634,197.67

4,248,092.54

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

LOCATION UNKNOWN, NEAR OWENSVILLE?

S.W.L. (AFTER CASING):**LOG ID:****019458**WELL TYPE

Private Well

DRILL DATE:

1960/05/17

TOWNSHIPRANGESECTIONELEVATION:

920FT

DRILL DEPTH:

313FT

42N

5W

22

UTM XUTM YDEPTH TO BED:

85FT

633,847.68

4,247,085.51

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

YIELD 12.5 GPM @ 208'; ABT 1 MI E OF OWENSVILLE ON HWY 28

S.W.L. (AFTER CASING):

185

LOG ID:**025087**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1967/08/01

TOWNSHIPRANGESECTIONELEVATION:

942FT

DRILL DEPTH:

640FT

42N

5W

22

UTM XUTM YDEPTH TO BED:

50FT

632,910.65

4,248,117.52

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

270

LOG ID:**016946**WELL TYPE

Private Well

DRILL DATE:

1958/01/29

TOWNSHIPRANGESECTIONELEVATION:

919FT

DRILL DEPTH:

315FT

42N

5W

23

UTM XUTM YDEPTH TO BED:

75FT

634,485.69

4,247,060.51

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

YIELD - 15 GPM @ 215'

S.W.L. (AFTER CASING):

200



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021030

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1962/06/23	<u>TOWNSHIP</u>	42N	<u>RANGE</u>	5W	<u>SECTION</u>	23	<u>ELEVATION:</u>	910FT
<u>DRILL DEPTH:</u>	305FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT							634,685.69	4,247,480.53
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	YIELD 15 GPM @ 221'; 2 MI NE OF OWENSVILLE; ATYPICAL				
<u>S.W.L. (AFTER CASING):</u>	200			SAMPLES					

LOG ID:
021885

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1963/04/05	<u>TOWNSHIP</u>	42N	<u>RANGE</u>	5W	<u>SECTION</u>	23	<u>ELEVATION:</u>	914FT
<u>DRILL DEPTH:</u>	305FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT							634,485.68	4,247,270.52
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	YIELD 15 GPM @ 205'; 10-15' SAMPLES BAGGED FOR 5' SAMPLES				
<u>S.W.L. (AFTER CASING):</u>	155								

LOG ID:
019337

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1960/09/15	<u>TOWNSHIP</u>	42N	<u>RANGE</u>	5W	<u>SECTION</u>	25	<u>ELEVATION:</u>	926FT
<u>DRILL DEPTH:</u>	315FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT							636,376.72	4,246,519.52
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	YIELD 15 GPM @ 255'; ABT 3 MI E OF OWENSVILLE				
<u>S.W.L. (AFTER CASING):</u>	163								

LOG ID:
018625

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/07/09	<u>TOWNSHIP</u>	42N	<u>RANGE</u>	5W	<u>SECTION</u>	27	<u>ELEVATION:</u>	936FT
<u>DRILL DEPTH:</u>	320FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT							633,479.67	4,246,900.50
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	YIELD 15 GPM @ 240'; 1.5 MI E OF OWENSVILLE ON HWY 28				
<u>S.W.L. (AFTER CASING):</u>	200								



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018639**WELL TYPE

Community Public Well

DRILL DATE: 1959/12/01TOWNSHIPRANGESECTIONELEVATION:

984FT

DRILL DEPTH: 1,000FT

42N

5W

28

DEPTH TO BED: 105FTUTM XUTM Y

631,753.65

4,246,114.45

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ELEVATION POSSIBLY 944'S.W.L. (AFTER CASING):**LOG ID:****018787**WELL TYPE

Private Well

DRILL DATE: 1959/09/19TOWNSHIPRANGESECTIONELEVATION:

906FT

DRILL DEPTH: 405FT

42N

5W

28

DEPTH TO BED: 70FTUTM XUTM Y

631,443.65

4,245,677.44

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 30 GPM @ 200'; IN OWENSVILLES.W.L. (AFTER CASING): 190**LOG ID:****005587**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1939/07/01TOWNSHIPRANGESECTIONELEVATION:

920FT

DRILL DEPTH: 725FT

42N

5W

29

DEPTH TO BED: 125FTUTM XUTM Y

631,011.65

4,245,446.43

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: AT OWENSVILLE - formerly in name of D.E. Williams -S.W.L. (AFTER CASING):**LOG ID:****006097**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

949FT

DRILL DEPTH: 395FT

42N

5W

29

DEPTH TO BED: 60FTUTM XUTM Y

631,011.63

4,246,688.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: @ OWENSVILLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019904**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

958FT

DRILL DEPTH:

275FT

42N

5W

29

DEPTH TO BED:

90FT

UTM XUTM Y

630,211.64

4,245,550.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

125

LOG ID:**008421**WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1943/12/02

TOWNSHIPRANGESECTIONELEVATION:

987FT

DRILL DEPTH:

875FT

42N

5W

32

DEPTH TO BED:

70FT

UTM XUTM Y

629,834.65

4,244,663.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: W EDGE OF OWENSVILLE, CLAY CRUSHING PLANT - Driller's Log
AttachedS.W.L. (AFTER CASING):

206

LOG ID:**009132**WELL TYPE

Community Public Well

DRILL DATE:

1946/05/01

TOWNSHIPRANGESECTIONELEVATION:

935FT

DRILL DEPTH:

962FT

42N

5W

32

DEPTH TO BED:

150FT

UTM XUTM Y

630,891.65

4,245,378.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

198

LOG ID:**018865**WELL TYPE

Community Public Well

DRILL DATE:

1960/02/01

TOWNSHIPRANGESECTIONELEVATION:

940FT

DRILL DEPTH:

900FT

42N

5W

32

DEPTH TO BED:

530FT

UTM XUTM Y

630,938.65

4,244,747.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NO SAMPLES DESCRIBED ABOVE 530'S.W.L. (AFTER CASING):

257



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021495**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	831FT
<u>DRILL DEPTH:</u>	255FT	42N	5W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				636,607.76	4,244,246.47
<u>S.W.L. (BEFORE CASING):</u>	130	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	130	FT				

REMARKS:**LOG ID:****020529**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	934FT
<u>DRILL DEPTH:</u>	325FT	42N	5W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	125FT				631,735.59	4,252,674.62
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:**LOG ID:****021747**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/03/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	820FT
<u>DRILL DEPTH:</u>	215FT	42N	5W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				628,504.56	4,253,117.59
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	100					

REMARKS: YIELD 15 GPM @ 154'; ABT 3 MI SW OF DRAKE**LOG ID:****010074**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/04/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	792FT
<u>DRILL DEPTH:</u>	180FT	42N	5W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				629,943.59	4,250,521.54
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	60					

REMARKS: 4 MI N OF OWENSVILLE, 1.25 MI W OF HWY 19



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020407**WELL TYPE

Private Well

DRILL DATE: 1961/10/14TOWNSHIP RANGE SECTIONELEVATION: 701FTDRILL DEPTH: 146FT

42N 6W 12

DEPTH TO BED: 15FTUTM X UTM Y
627,497.58 4,250,409.51
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 15 GPM @ 45'S.W.L. (AFTER CASING): 10**LOG ID:****020409**WELL TYPE

Private Well

DRILL DATE: 1961/10/07TOWNSHIP RANGE SECTIONELEVATION: 755FTDRILL DEPTH: 198FT

42N 6W 12

DEPTH TO BED: 5FTUTM X UTM Y
626,497.58 4,250,410.50
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 15 GPM @ 118'S.W.L. (AFTER CASING): 100**LOG ID:****019550**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 653FTDRILL DEPTH: 325FT

42N 6W 15

DEPTH TO BED: 5FTUTM X UTM Y
623,790.58 4,249,392.45
ZONE 15S.W.L. (BEFORE CASING):REMARKS: LOCATION WRONGS.W.L. (AFTER CASING):**LOG ID:****017246**WELL TYPE

Private Well

DRILL DATE: 1958/06/04TOWNSHIP RANGE SECTIONELEVATION: 698FTDRILL DEPTH: 159FT

42N 6W 2

DEPTH TO BED: 5FTUTM X UTM Y
625,473.55 4,252,167.53
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: LONG SECTION; YIELD 15 GPM @ 100'S.W.L. (AFTER CASING): 38



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002546**WELL TYPE

Private Well

DRILL DATE: 1932/03/01TOWNSHIPRANGESECTIONELEVATION:

764FT

DRILL DEPTH: 110FT

42N

6W

22

DEPTH TO BED: 15FTUTM XUTM Y

623,901.60

4,247,860.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI FROM NEW WOOLLAM ON BLAND RD; YIELD 700 G/HOURS.W.L. (AFTER CASING): 42**LOG ID:****019901**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

754FT

DRILL DEPTH: 150FT

42N

6W

23

DEPTH TO BED: 10FTUTM XUTM Y

625,522.60

4,248,065.44

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****023893**WELL TYPE

Community Public Well

DRILL DATE: 1965/00/00TOWNSHIPRANGESECTIONELEVATION:

952FT

DRILL DEPTH: 1,025FT

42N

6W

25

DEPTH TO BED: 60FTUTM XUTM Y

627,065.63

4,245,795.40

ZONE 15

S.W.L. (BEFORE CASING): 180 FTREMARKS:S.W.L. (AFTER CASING): 235 FT**LOG ID:****016626**WELL TYPE

Private Well

DRILL DATE: 1957/09/04TOWNSHIPRANGESECTIONELEVATION:

704FT

DRILL DEPTH: 140FT

42N

6W

30

DEPTH TO BED: 25FTUTM XUTM Y

618,809.62

4,245,695.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "LOST BIT AT 140"S.W.L. (AFTER CASING): 40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016814**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/11/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	693FT
<u>DRILL DEPTH:</u>	203FT	42N	6W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				618,909.62	4,245,780.33
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD 15 GPM @ 125'; 4 MI N OF BLAND; EVERY THIRD SAMPLE			
<u>S.W.L. (AFTER CASING):</u>	40		SKIPPED			

LOG ID:**019582**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	978FT
<u>DRILL DEPTH:</u>	325FT	42N	6W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				627,576.65	4,244,639.38
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ON HWY Y 2 MI OFF HWY 28 NEAR OWENSVILLE			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**021038**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/01/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	627FT
<u>DRILL DEPTH:</u>	163FT	42N	6W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				618,765.52	4,251,527.42
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD 40 GPM @ 63'; 1.5 MI SE OF COOPER HILL			
<u>S.W.L. (AFTER CASING):</u>	30					

LOG ID:**019351**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1960/07/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	660FT
<u>DRILL DEPTH:</u>	139FT	43N	4W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				641,067.61	4,258,890.90
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD 15 GPM @ 45'; ABT 4 MI NE OF ROSEBUD			
<u>S.W.L. (AFTER CASING):</u>	30					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028559**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1983/05/05TOWNSHIP RANGE SECTIONELEVATION: 794FTDRILL DEPTH: 520FT

43N 4W 18

DEPTH TO BED:UTM X UTM Y
638,305.58 4,259,410.88
ZONE 15S.W.L. (BEFORE CASING):REMARKS: partial logS.W.L. (AFTER CASING):**LOG ID:****018672**WELL TYPE

Private Well

DRILL DATE: 1959/11/28TOWNSHIP RANGE SECTIONELEVATION: 812FTDRILL DEPTH: 360FT

43N 4W 29

DEPTH TO BED: 15FTUTM X UTM Y
640,085.65 4,255,837.81
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 5 MI N OF ROSEBUDS.W.L. (AFTER CASING): 123**LOG ID:****024121**WELL TYPE

Private Well

DRILL DATE: 1966/02/10TOWNSHIP RANGE SECTIONELEVATION: 761FTDRILL DEPTH: 125FT

43N 4W 5

DEPTH TO BED: 40FTUTM X UTM Y
640,005.55 4,261,989.97
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021161**WELL TYPE

Private Well

DRILL DATE: 1962/05/05TOWNSHIP RANGE SECTIONELEVATION: 742FTDRILL DEPTH: 285FT

43N 4W 6

DEPTH TO BED: 10FTUTM X UTM Y
638,564.53 4,263,503.97
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 145



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026509**WELL TYPE

Private Well

DRILL DATE: 1968/10/28TOWNSHIP RANGE SECTIONELEVATION: 920FTDRILL DEPTH: 345FT

43N 5W 11

DEPTH TO BED: 105FTUTM X UTM Y
634,274.52 4,261,396.88
ZONE 15S.W.L. (BEFORE CASING):REMARKS: SCANNED - NO SAMPLES RUN - TOPS ONLYS.W.L. (AFTER CASING):**LOG ID:****021566**WELL TYPE

Private Well

DRILL DATE: 1963/00/00TOWNSHIP RANGE SECTIONELEVATION: 886FTDRILL DEPTH: 297FT

43N 5W 15

DEPTH TO BED: 80FTUTM X UTM Y
633,849.54 4,259,102.81
ZONE 15S.W.L. (BEFORE CASING):REMARKS: DRAKES.W.L. (AFTER CASING):**LOG ID:****021575**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1962//TOWNSHIP RANGE SECTIONELEVATION: 864FTDRILL DEPTH: 300FT

43N 5W 15

DEPTH TO BED: 35FTUTM X UTM Y
633,849.54 4,258,680.80
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: HWY 50 AT DRAKE; ALSO AS LOG #21583 LOGGED TO 100'.S.W.L. (AFTER CASING): 120**LOG ID:****021583**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1962//TOWNSHIP RANGE SECTIONELEVATION: 864FTDRILL DEPTH: 300FT

43N 5W 15

DEPTH TO BED: 35FTUTM X UTM Y
633,849.54 4,258,680.80
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: SEE LOG #21575S.W.L. (AFTER CASING): 120

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019884**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

704FT

DRILL DEPTH:

235FT

43N

5W

16

UTM XUTM YDEPTH TO BED:

631,021.51

4,259,100.78

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:SAMPLES MIXED TO 175', NO COTTER-JEFFERSON CITY
CONTACTS.W.L. (AFTER CASING):

20

LOG ID:**017264**WELL TYPE

Private Well

DRILL DATE:

1958/06/24

TOWNSHIPRANGESECTIONELEVATION:

824FT

DRILL DEPTH:

353FT

43N

5W

22

UTM XUTM YDEPTH TO BED:

50FT

633,078.55

4,257,228.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

YIELD 14 GPM @ 165'; ON HWY 19, 0.5 MI S OF JCT HWYS 50 & 19

S.W.L. (AFTER CASING):

105

LOG ID:**020408**WELL TYPE

Private Well

DRILL DATE:

1961/09/27

TOWNSHIPRANGESECTIONELEVATION:

910FT

DRILL DEPTH:

375FT

43N

5W

23

UTM XUTM YDEPTH TO BED:

120FT

634,724.57

4,257,426.78

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

YIELD 15 GPM @ 245'

S.W.L. (AFTER CASING):

225

LOG ID:**019864**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

881FT

DRILL DEPTH:

305FT

43N

5W

25

UTM XUTM YDEPTH TO BED:

170FT

636,013.60

4,255,582.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

150



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028727**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1994/05/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	928FT
<u>DRILL DEPTH:</u>	464FT	43N	5W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				629,209.52	4,256,782.69
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	224	<u>REMARKS:</u>	Waste Management of Missouri - observation well			

LOG ID:**019392**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	902FT
<u>DRILL DEPTH:</u>	260FT	43N	5W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				630,539.55	4,254,696.66
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NO LOCATION, PRODUCTION, OR CONSTRUCTION DATA			

LOG ID:**027266**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1973/01/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	922FT
<u>DRILL DEPTH:</u>	1,135FT	43N	5W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	105FT				632,072.57	4,254,520.67
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	226	<u>REMARKS:</u>	4 MI S JCT HWYS 50 & 19, 4.5 MI N OF HCT HWYS 19 & 28 - possibly formerly in name of City of Owensville			

LOG ID:**019867**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	848FT
<u>DRILL DEPTH:</u>	275FT	43N	5W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				635,384.61	4,254,589.72
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021036**WELL TYPE

Private Well

DRILL DATE: 1962/05/12TOWNSHIP RANGE SECTION

43N

5W

5

ELEVATION: 848FTDRILL DEPTH: 346FTUTM X UTM YDEPTH TO BED: 30FT630,217.47 4,262,302.84
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: YIELD 15 GPM @ 236'S.W.L. (AFTER CASING): 200**LOG ID:****017436**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/07/19TOWNSHIP RANGE SECTION

43N

5W

8

ELEVATION: 750FTDRILL DEPTH: 252FTUTM X UTM YDEPTH TO BED: 5FT629,947.49 4,260,521.79
ZONE 15S.W.L. (BEFORE CASING):REMARKS: YIELD 17 GPM @ 150'; 5 MI W OF DRAKE ON HWY 50S.W.L. (AFTER CASING):**LOG ID:****019921**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

43N

5W

8

ELEVATION: 736FTDRILL DEPTH: 275FTUTM X UTM YDEPTH TO BED: 10FT629,847.49 4,260,521.79
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****020129**WELL TYPE

Private Well

DRILL DATE: 1961/07/19TOWNSHIP RANGE SECTION

43N

6W

12

ELEVATION: 636FTDRILL DEPTH: 198FTUTM X UTM YDEPTH TO BED: 10FT627,377.46 4,260,776.75
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI SE OF BAYS.W.L. (AFTER CASING): 15



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020122**WELL TYPE

Private Well

DRILL DATE: 1961/07/04TOWNSHIPRANGESECTIONELEVATION:

650FT

DRILL DEPTH: 278FT

43N

6W

15

DEPTH TO BED: 15FTUTM XUTM Y

623,472.44

4,259,194.64

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 10 GPM @ 165'; ABT 4 MI SW OF BAY, S OF HWY 50S.W.L. (AFTER CASING): 10**LOG ID:****016826**WELL TYPE

Private Well

DRILL DATE: 1957/10/01TOWNSHIPRANGESECTIONELEVATION:

570FT

DRILL DEPTH: 105FT

43N

6W

17

DEPTH TO BED:UTM XUTM Y

619,958.40

4,260,076.59

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 30**LOG ID:****024406**WELL TYPE

Private Well

DRILL DATE: 1966/05/21TOWNSHIPRANGESECTIONELEVATION:

610FT

DRILL DEPTH: 125FT

43N

6W

18

DEPTH TO BED: 15FTUTM XUTM Y

618,922.39

4,259,970.57

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING):**LOG ID:****018204**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

686FT

DRILL DEPTH: 205FT

43N

6W

19

DEPTH TO BED: 30FTUTM XUTM Y

619,513.43

4,257,737.54

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 95



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019829**WELL TYPE

Private Well

DRILL DATE: 1961/04/20TOWNSHIP RANGE SECTION

43N

6W

4

ELEVATION: 718FTDRILL DEPTH: 350FTUTM X UTM YDEPTH TO BED: 15FT621,314.37 4,262,663.66
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: YIELD 20 GPM @ 195'; 2.5 MI W OF BAYS.W.L. (AFTER CASING): 180**LOG ID:****019927**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

43N

6W

4

ELEVATION: 598FTDRILL DEPTH: 125FTUTM X UTM YDEPTH TO BED: 15FT622,214.38 4,262,977.68
ZONE 15S.W.L. (BEFORE CASING):REMARKS: AT BAYS.W.L. (AFTER CASING):**LOG ID:****023586**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

43N

6W

4

ELEVATION: 742FTDRILL DEPTH: 300FTUTM X UTM YDEPTH TO BED: 20FT621,314.37 4,263,081.67
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 5 OR 6 MI DOWN RIVER FROM MT. STERLINGS.W.L. (AFTER CASING):**LOG ID:****005964**WELL TYPE

Private Well

DRILL DATE: 1939/09/01TOWNSHIP RANGE SECTION

43N

6W

5

ELEVATION: 638FTDRILL DEPTH: 135FTUTM X UTM YDEPTH TO BED:619,916.35 4,263,282.64
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: TD MAY BE 139'S.W.L. (AFTER CASING): 100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007948**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	597FT
<u>DRILL DEPTH:</u>	112FT	43N	6W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				621,116.37	4,262,680.66
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	CLUBHOUSE 4 MI N OF HWY 50, 2 MI W OF BAY, ON GASCONADE RIVER			
<u>S.W.L. (AFTER CASING):</u>	70					

LOG ID:**018191**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	598FT
<u>DRILL DEPTH:</u>	228FT	43N	6W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					618,908.38	4,260,449.58
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD - "3 GPM @ 205', 10 GPM @ 228' ?"			
<u>S.W.L. (AFTER CASING):</u>	60					

LOG ID:**006141**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	730FT
<u>DRILL DEPTH:</u>	325FT	44N	4W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	178FT				640,860.51	4,269,463.03
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 178-325'; NEAR HERMAN			
<u>S.W.L. (AFTER CASING):</u>	150					

LOG ID:**006144**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	740FT
<u>DRILL DEPTH:</u>	285FT	44N	4W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	145FT				639,639.50	4,268,222.01
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 145-285'; @ STONY HILL			
<u>S.W.L. (AFTER CASING):</u>	150					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011321

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1950/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	742FT
<u>DRILL DEPTH:</u>	320FT	44N	4W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	140FT				639,101.53	4,264,298.98
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL DEEPENED 150-320'; 3 MI E OF HWY 19, 1 MI S OF HWY			
<u>S.W.L. (AFTER CASING):</u>	84		E			

LOG ID:
026246

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	660FT
<u>DRILL DEPTH:</u>	2,170FT	44N	4W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					637,980.46	4,272,729.01
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
021028

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/11/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	792FT
<u>DRILL DEPTH:</u>	395FT	44N	5W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				634,781.43	4,271,542.96
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD - 12 GPM @ 220'; ABT 2.5 MI NNE OF SWISS			
<u>S.W.L. (AFTER CASING):</u>	160					

LOG ID:
019237

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1960/08/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	904FT
<u>DRILL DEPTH:</u>	575FT	44N	5W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				633,165.43	4,269,888.93
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	205					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008509**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1944/03/01TOWNSHIPRANGESECTIONELEVATION:

860FT

DRILL DEPTH: 260FT

44N

5W

3

DEPTH TO BED:UTM XUTM Y

633,942.42

4,271,966.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CLAY EXPLORATION HOLES.W.L. (AFTER CASING):**LOG ID:****018786**WELL TYPE

Private Well

DRILL DATE: 1959/11/02TOWNSHIPRANGESECTIONELEVATION:

901FT

DRILL DEPTH: 400FT

44N

5W

4

DEPTH TO BED: 90FTUTM XUTM Y

632,298.40

4,272,364.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 15 GPM @ 235'; ABT 2 MI N OF SWISS ON HWY 19, 0.25 MI WS.W.L. (AFTER CASING): 210**LOG ID:****005705**WELL TYPE

Private Well

DRILL DATE: 1939/00/00TOWNSHIPRANGESECTIONELEVATION:

600FT

DRILL DEPTH: 175FT

44N

6W

15

DEPTH TO BED:UTM XUTM Y

623,340.33

4,268,957.77

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 80**LOG ID:****005716**WELL TYPE

Private Well

DRILL DATE: 1939/00/00TOWNSHIPRANGESECTIONELEVATION:

587FT

DRILL DEPTH: 145FT

44N

6W

17

DEPTH TO BED:UTM XUTM Y

619,663.29

4,268,572.71

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: DD MAY BE PUMPING LEVELS.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016236**WELL TYPE

Private Well

DRILL DATE: 1957/05/21TOWNSHIPRANGESECTIONELEVATION:

629FT

DRILL DEPTH: 191FT

44N

6W

17

DEPTH TO BED: 15FTUTM XUTM Y

619,863.29

4,269,416.72

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 85**LOG ID:****026243**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

555FT

DRILL DEPTH: 1,712FT

44N

6W

19

DEPTH TO BED: 1,280FTUTM XUTM Y

618,336.29

4,267,841.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CORE CHIPSS.W.L. (AFTER CASING):**LOG ID:****021029**WELL TYPE

Private Well

DRILL DATE: 1962/06/23TOWNSHIPRANGESECTIONELEVATION:

619FT

DRILL DEPTH: 202FT

44N

6W

20

DEPTH TO BED: 10FTUTM XUTM Y

620,470.31

4,267,981.71

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 15 GPM @ 122'; 4 MI NW OF BAY; POOR SAMPLESS.W.L. (AFTER CASING): 100**LOG ID:****018173**WELL TYPE

Private Well

DRILL DATE: 1959/04/30TOWNSHIPRANGESECTIONELEVATION:

641FT

DRILL DEPTH: 254FT

44N

6W

22

DEPTH TO BED: 20FTUTM XUTM Y

623,093.33

4,268,502.76

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 15 GPM @ 169'; 3 MI S OF PERSHINGS.W.L. (AFTER CASING): 116

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005717

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1939/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	570FT
<u>DRILL DEPTH:</u>	100FT	44N	6W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				619,052.32	4,265,469.65
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	35					

REMARKS:

LOG ID:
005970

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1939/10/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	647FT
<u>DRILL DEPTH:</u>	205FT	44N	6W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					618,476.32	4,264,950.64
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	135					

REMARKS:

LOG ID:
017083

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/04/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	595FT
<u>DRILL DEPTH:</u>	197FT	44N	6W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					619,711.33	4,264,910.66
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	119					

REMARKS: 3 MI E OF HOPE; VERY POOR SAMPLES, 85-197 APPEAR TO BE THE SAME SAMPLE

LOG ID:
026234

WELL TYPE
Unknown Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	555FT
<u>DRILL DEPTH:</u>	1,760FT	44N	6W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					624,234.39	4,264,217.74
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016820

WELL TYPE
Private Well

DRILL DATE: 1957/09/01 TOWNSHIP 44N RANGE 6W SECTION 8 ELEVATION: 634FT
DRILL DEPTH: 260FT UTM X 621,057.28 UTM Y 4,271,727.77
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 140

LOG ID:
025236

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1967/00/00 TOWNSHIP 45N RANGE 4W SECTION 6 ELEVATION: 940FT
DRILL DEPTH: 700FT UTM X 637,634.38 UTM Y 4,283,190.06
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
026254

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 45N RANGE 4W SECTION 6 ELEVATION: 640FT
DRILL DEPTH: 2,251FT UTM X 637,734.39 UTM Y 4,282,351.06
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
020759

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 45N RANGE 5W SECTION 16 ELEVATION: 659FT
DRILL DEPTH: 150FT UTM X 630,957.33 UTM Y 4,278,711.96
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: HERMAN
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020760**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 649FT
45N 5W 17
DRILL DEPTH: 175FT UTM X UTM Y
DEPTH TO BED: 5FT 630,500.32 4,278,494.96
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: HERMAN
S.W.L. (AFTER CASING):

LOG ID:**020767**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 645FT
45N 5W 21
DRILL DEPTH: 125FT UTM X UTM Y
DEPTH TO BED: 5FT 630,775.33 4,278,344.96
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: HERMAN
S.W.L. (AFTER CASING):

LOG ID:**021074**WELL TYPE

Private Well

DRILL DATE: 1962/07/16 TOWNSHIP RANGE SECTION ELEVATION: 538FT
45N 5W 30
DRILL DEPTH: 191FT UTM X UTM Y
DEPTH TO BED: 40FT 628,358.32 4,276,235.91
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: HERMAN
S.W.L. (AFTER CASING):

LOG ID:**003939**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1936/11/13 TOWNSHIP RANGE SECTION ELEVATION: 515FT
45N 6W 11
DRILL DEPTH: 626FT UTM X UTM Y
DEPTH TO BED: 96FT 625,535.24 4,281,060.92
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 20



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004496**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1937/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	578FT
<u>DRILL DEPTH:</u>	525FT	45N	6W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	140FT				625,086.23	4,281,303.92
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	58	<u>REMARKS:</u>	Driller's Log Attached			

LOG ID:**021846**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	648FT
<u>DRILL DEPTH:</u>	280FT	45N	6W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					626,306.27	4,278,845.91
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**026699**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	778FT
<u>DRILL DEPTH:</u>	285FT	45N	6W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				626,106.26	4,279,887.92
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	220	NEAR HERMAN				

LOG ID:**026983**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1969/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	764FT
<u>DRILL DEPTH:</u>	345FT	45N	6W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				626,306.26	4,279,471.92
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	285	NEAR HARMANN				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028425**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1980/05/00TOWNSHIP

45N

RANGE

6W

SECTION

15

ELEVATION:

545FT

DRILL DEPTH: 655FTDEPTH TO BED: 115FTUTM X

622,826.23

UTM Y

4,278,315.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****022526**WELL TYPE

Private Well

DRILL DATE: 1964/02/12TOWNSHIP

45N

RANGE

6W

SECTION

18

ELEVATION:

734FT

DRILL DEPTH: 350FTDEPTH TO BED: 10FTUTM X

618,994.18

UTM Y

4,278,538.83

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: HWY NS.W.L. (AFTER CASING):**LOG ID:****021752**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP

45N

RANGE

6W

SECTION

19

ELEVATION:

580FT

DRILL DEPTH: 175FTDEPTH TO BED: 10FTUTM X

619,401.19

UTM Y

4,277,961.83

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: MORRISONS.W.L. (AFTER CASING):**LOG ID:****021868**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP

45N

RANGE

6W

SECTION

23

ELEVATION:

568FT

DRILL DEPTH: 200FTDEPTH TO BED: 25FTUTM X

625,737.28

UTM Y

4,277,207.89

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR MORRISON - SAME NUMBER AS CITY OFS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027294**WELL TYPE

Private Well

DRILL DATE: 1970/05/15TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH: 345FT

45N

6W

27

DEPTH TO BED: 45FTUTM XUTM Y

623,983.27

4,275,576.85

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: MISSING MISSING SAMPLES; NEAR HERMANS.W.L. (AFTER CASING): 210**LOG ID:****019682**WELL TYPE

Private Well

DRILL DATE: 1961/03/07TOWNSHIPRANGESECTIONELEVATION:

519FT

DRILL DEPTH: 158FT

45N

6W

30

DEPTH TO BED: 100FTUTM XUTM Y

618,760.20

4,276,127.79

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 20 GPM @ 20'; ABT 3 MI S OF MORRISONS.W.L. (AFTER CASING): 20**LOG ID:****026261**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

520FT

DRILL DEPTH: 1,828FT

45N

6W

31

DEPTH TO BED:UTM XUTM Y

618,699.23

4,273,759.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****025588**WELL TYPE

Private Well

DRILL DATE: 1967/08/08TOWNSHIPRANGESECTIONELEVATION:

883FT

DRILL DEPTH: 320FT

45N

6W

35

DEPTH TO BED: 75FTUTM XUTM Y

625,020.30

4,273,788.85

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 6 GPM @ 300'; 6 MI W OF HERMANS.W.L. (AFTER CASING): 240



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024503**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1960/11/07TOWNSHIP

45N

RANGE

6W

SECTION

5

ELEVATION:

514FT

DRILL DEPTH: 79FTUTM XUTM YDEPTH TO BED:

620,427.16

4,281,966.89

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: TEST HOLE (PROFILE)S.W.L. (AFTER CASING): 20**LOG ID:****003504**WELL TYPE

Community Public Well

DRILL DATE: 1935/10/01TOWNSHIP

45N

RANGE

6W

SECTION

7

ELEVATION:DRILL DEPTH: 490FTUTM XUTM YDEPTH TO BED: 50FT

619,196.15

4,281,381.87

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 12**LOG ID:****016711**WELL TYPE

Community Public Well

DRILL DATE: 1957/09/01TOWNSHIP

45N

RANGE

6W

SECTION

7

ELEVATION:

669FT

DRILL DEPTH: 750FTUTM XUTM YDEPTH TO BED: 30FT

619,147.15

4,281,136.86

ZONE 15

S.W.L. (BEFORE CASING): 170 FTREMARKS:S.W.L. (AFTER CASING): 158 FT**LOG ID:****022567**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP

45N

RANGE

6W

SECTION

7

ELEVATION:

734FT

DRILL DEPTH: 365FTUTM XUTM YDEPTH TO BED: 15FT

619,396.17

4,279,951.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR MORRISONS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024063**WELL TYPE

Private Well

DRILL DATE: 1966/01/31TOWNSHIPRANGESECTIONELEVATION:

705FT

DRILL DEPTH: 315FT

45N

6W

8

DEPTH TO BED: 5FTUTM XUTM Y

621,040.18

4,281,396.89

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 175**LOG ID:****017740**WELL TYPE

Private Well

DRILL DATE: 1958/08/08TOWNSHIPRANGESECTIONELEVATION:

895FT

DRILL DEPTH: 701FT

46N

4W

31

DEPTH TO BED: 75FTUTM XUTM Y

638,340.38

4,284,370.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 17 GPM @ 400'; 1 MI E OF HERMAN ON HWY 100S.W.L. (AFTER CASING): 400**LOG ID:****016934**WELL TYPE

Private Well

DRILL DATE: 1958/01/08TOWNSHIPRANGESECTIONELEVATION:

718FT

DRILL DEPTH: 380FT

46N

4W

32

DEPTH TO BED: 65FTUTM XUTM Y

639,353.40

4,284,268.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD 15 GPM @ 220'; 2.5 MI E OF HERMAN ON HWY 100S.W.L. (AFTER CASING): 190**LOG ID:****026639**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

645FT

DRILL DEPTH: 1,205FT

46N

5W

35

DEPTH TO BED: 40FTUTM XUTM Y

634,842.34

4,283,871.04

ZONE 15

S.W.L. (BEFORE CASING): 60 FTREMARKS:S.W.L. (AFTER CASING): 85 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002333**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1930/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	524FT
<u>DRILL DEPTH:</u>	577FT	46N	5W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				635,687.34	4,284,913.05
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	19					

REMARKS: MANY MISSING SAMPLES

LOG ID:**026767**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	642FT
<u>DRILL DEPTH:</u>	1,240FT	46N	5W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				636,038.36	4,283,593.05
<u>S.W.L. (BEFORE CASING):</u>	68	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60	FT				

REMARKS:

GASCONADE